



ALEXANDER

Handcrafted Mills  
Since 1977

*Mill Catalogue2020*

*P.Ioannou-G.Zarkadis OE*



**[www.brasspeppermill.com](http://www.brasspeppermill.com)**

**Tel.:** +30 2310 663297

**Email:** [info@brasspeppermill.com](mailto:info@brasspeppermill.com)

**Address:** 2 Al. Papagou Str., 56430 Stavroupolis  
Thessaloniki-Greece

*A few words about*  
*Alexander*  
*mills*

Alexander handcrafted mills are products of high quality and professional functionality. They have been handcrafted in Greece since 1977 and have been exported to 22 countries since 1981. Their long-standing presence in the US market and their appearance on the major overseas resellers websites, such as Amazon's web sites in the US and in many European countries, have placed them first in the preferences of professionals and home users over the last 15 years.

Unlike other mills which have a 20mm(0.8") diameter mechanism, Alexander mills are equipped with various sizes of 100% metal mechanisms, depending on their size. For example, the pepper mill #001 has 23mm(0.9") diameter mechanism, # 404 38mm(1.5") and #500 has 48mm(1.9") diameter. This helps them grind pepper in very large quantities easy, in no time. Their cutting mechanism works with 3DCut technology, designed to really grind peppercorns and not just smash them, maximizing its flavor and aroma.

The grinding is done in three steps (3DCut):

**1st:** Grabs and cracks each peppercorn and breaks it in half

**2nd:** Cuts them into smaller pieces

**3rd:** Sends them to the small teeth and grinds them to the selected thickness.

Salt and coffee mills also grind with the same 3D Cut technology. All pepper and coffee mills have an adjustable mechanism between fine and coarse grinding. Coffee mills are ideal for grinding filter coffee (French coffee, espresso, cappuccino etc.).

Salt mills grinding mechanisms are 38mm in diameter, are made of stainless steel and very tough polyamide (30% glass). Each mill provides plenty of room, to fill it with pepper, salt or coffee.

Today, the ALEXANDER Handcrafted Mills Company (P. Ioannou – G. Zarkadis. Co), exports its biggest part of production in the U.S.A, Australia and UK, markets which due to the high quality of the products, show great appreciation in the ALEXANDER Handcrafted Mills products. However, a remarkable part of the production is sold into other markets such as Canada, Netherlands, France, Italy, Germany, Switzerland, United Arab Emirates, Thailand, Portugal, Finland, Russia, Serbia, Romania and Ukraine. You can find them all over the world under the name "ALEXANDER" in various retail stores ,as well as abroad, under the Brand name "ATLAS".

*Alexander Handcrafted Mills  
have been present in the world  
market since 1977, with over  
1.500.000 sales volume*



*The Alexander Handcrafted Mill company is evolving day by day and is constantly changing, but one thing will never change, the dedication of its owners to the production of high quality, unstoppable and excellent aesthetics mills for pepper, salt and coffee, while always focus on serving each client as a unique entity*





# Alexander

Handcrafted Mills Since 1977



## Index / Series

## Page

A few words about Alexander mills	3
Chef Athena	8
Athena	9
Chef's Mate	10
Modern-Copper	12
Modern-Brass	13
Modern-Mixed metals	14
Modern-Antique	15
Minimal	15
Modern-Nickel-matt finish	16
Atlas-Chrome-gloss Finish	17
Chef 's Mills-Nickel-matt Finish	18
Chef's Mills-Chrome-gloss Finish	18
Chef's Mills-Brass	19
Traditional mills	21
Traditional coffee pot (ibrik)	22
Remarks	23
Care	24



## *Chef Athena Series*



Code	Body	Height mm/Inch	Diameter mm/Inch	Weight gr	Mechanism Diameter mm/Inch	Use
235	Chrome gloss/Polished brass	240/9.5	70-40-50/ 2.7-1.6-2	735	48/1.9	PEPPER
257	Chrome gloss/Nickel matt	240/9.5	70-40-50/ 2.7-1.6-2	740	48/1.9	PEPPER
352	Polished brass/Chrome gloss	240/9.5	70-40-50/ 2.7-1.6-2	735	48/1.9	PEPPER
253	Chrome gloss	240/9.5	70-40-50/ 2.7-1.6-2	740	48/1.9	PEPPER
453	Polished Copper/Brass	240/9.5	70-40-50/ 2.7-1.6-2	730	48/1.9	PEPPER
353	Polished Brass	240/9.5	70-40-50/ 2.7-1.6-2	730	48/1.9	PEPPER
753	Nickel matt	240/9.5	70-40-50/ 2.7-1.6-2	740	48/1.9	PEPPER
752	Nickel matt/Chrome gloss	240/9.5	70-40-50/ 2.7-1.6-2	740	48/1.9	PEPPER
653	Copper-Antique	240/9.5	70-40-50/ 2.7-1.6-2	730	48/1.9	PEPPER



## *Athena Series*



Code	Body	Height mm/Inch	Diameter mm/Inch	Weight gr	Mechanism Diameter mm/Inch	Use
723	Nickel matt finish	210/8.3	45-40-50/1.8-1.6-2	590	48/1.9	PEPPER
303	Polished brass	210/8.3	45-40-50/1.8-1.6-2	590	48/1.9	PEPPER
313	Polished Copper/Brass	210/8.3	45-40-50/1.8-1.6-2	600	48/1.9	PEPPER
304	Polished brass	220/8.7	45-40-50/1.8-1.6-2	660	48/1.9	COFFEE
323	Chrome gloss finish	210/8.3	45-40-50/1.8-1.6-2	590	48/1.9	PEPPER

## *Chef's Mate Series*



Code	Body	Height mm/Inch	Diameter mm/Inch	Weight gr	Mechanism Diameter mm/Inch	Use
106	Cast brass/chrome gloss	135/5.3	43/1.7	590	38/1.5	PEPPER
006	Polished cast brass	135/5.3	43/1.7	590	38/1.5	PEPPER
606	Cast brass/Copper-Antique	135/5.3	43/1.7	590	38/1.5	PEPPER
706	Cast brass/nickel matt	135/5.3	43/1.7	590	38/1.5	PEPPER



*Handcrafted*  
decorated peppermills  
*since 1977*

**www.brasspeppermill.com**

**Tel.:** +30 2310 663297

**Email:** info@brasspeppermill.com

**Address:** 2 Al. Papagou Str., 56430 Stavroupolis  
Thessaloniki-Greece

## *Modern Copper Series*



Code	Body	Height mm/Inch	Diameter mm/Inch	Weight gr	Mechanism Diameter mm/Inch	Use
402	Polished copper	190/7,5	35/1.4	380	33/1.3	PEPPER
403	Polished copper	205/8	40/1.6	520	38/1.5	PEPPER
404	Polished copper	230/9	40/1.6	570	38/1.5	PEPPER
405	Brass copper plated	255/10	50/2	800	48/1.9	PEPPER
433	Polished copper	175/7	40/1.6	430	38/1.5	PEPPER
408	Polished copper	205/8	40/1.6	400	38/1.5	SALT
409	Polished copper	230/9	40/1.6	450	38/1.5	SALT




## *Modern Brass Series*



Code	Body	Height mm/Inch	Diameter mm/Inch	Weight gr	Mechanism Diameter mm/Inch	Use
102	Polished brass	190/7,5	35/1.4	365	33/1.3	PEPPER
103	Polished brass	205/8	40/1.6	520	38/1.5	PEPPER
104	Polished brass	230/9	40/1.6	570	38/1.5	PEPPER
105	Polished brass	255/10	50/2	780	48/1.9	PEPPER
133	Polished brass	175/7	40/1.6	410	38/1.5	PEPPER
22	Polished brass + rotating cap	100/4	30/1,2	190	28/1,1	PEPPER
222	Polished brass	125/5	30/1,2	215	28/1,1	PEPPER
108	Polished brass	205/8	40/1.6	390	38/1.5	SALT
109	Polished brass	230/9	40/1.6	440	38/1.5	SALT



## *Modern Mixed Series*



Code	Body	Height mm/Inch	Diameter mm/Inch	Weight gr	Mechanism Diameter mm/Inch	Use
123	Polished brass + copper	205/8	40/1.6	520	38/1.5	PEPPER
423	Polished copper + brass	205/8	40/1.6	520	38/1.5	PEPPER
412	Polished copper + brass	190/7,5	35/1.4	370	33/1.3	PEPPER
413	Polished copper + brass	205/8	40/1.6	520	38/1.5	PEPPER
414	Polished copper + brass	230/9	40/1.6	570	38/1.5	PEPPER
212	Chrome gloss + polished brass	190/7,5	35/1.4	365	33/1.3	PEPPER
128	Polished brass + copper	205/8	40/1.6	405	38/1.5	SALT
428	Polished copper + brass	205/8	40/1.6	400	38/1.5	SALT
418	Polished copper + brass	205/8	40/1.6	400	38/1.5	SALT
419	Polished copper + brass	230/9	40/1.6	450	38/1.5	SALT



## *Modern Antique Series*

Code	Body	Use
503	Brass antique finish	PEPPER
603	Copper antique finish	PEPPER

Diameter mm/Inch	40/1.6
Height mm/Inch	205/8
Mechan. Diameter mm/Inch	38/1.5
Weight gr	520

## *Minimal Series*



Code	Body	Use
144	Polished brass+chrome gloss	COFFEE
744	Nickel matt + chrome gloss	COFFEE


Diameter	45/1,8
Height mm/Inch	195/7,7
Mechan. Diameter mm/Inch	43/1,7
Weight gr	660

## *Modern Plated Series*



Code	Body	Height mm/Inch	Diameter mm/Inch	Weight gr	Mechanism Diameter mm/Inch	Use
702	Brass nickel-matt plated	190/7,5	35/1.4	365	33/1.3	PEPPER
703	Brass nickel-matt plated	205/8	40/1.6	520	38/1.5	PEPPER
704	Brass nickel-matt plated	230/9	40/1.6	570	38/1.5	PEPPER
705	Brass nickel-matt plated	255/10	50/2	790	48/1.9	PEPPER
733	Brass nickel-matt plated	175/7	40/1.6	410	38/1.5	PEPPER
708	Brass nickel-matt plated	205/8	40/1.6	390	38/1.5	SALT
709	Brass nickel-matt plated	230/9	40/1.6	450	38/1.5	SALT

## *Modern Plated Series*



Code	Body	Height mm/Inch	Diameter mm/Inch	Weight gr	Mechanism Diameter mm/Inch	Use
202	Brass chrome-gloss plated	190/7,5	35/1.4	365	33/1.3	PEPPER
203	Brass chrome-gloss plated	205/8	40/1.6	520	38/1.5	PEPPER
204	Brass chrome-gloss plated	230/9	40/1.6	570	38/1.5	PEPPER
205	Brass chrome-gloss plated	255/10	50/2	790	48/1.9	PEPPER
233	Brass chrome-gloss plated	175/7	40/1.6	410	38/1.5	PEPPER
208	Brass chrome-gloss plated	205/8	40/1.6	390	38/1.5	SALT
209	Brass chrome-gloss plated	230/9	40/1.6	450	38/1.5	SALT



## *Chef Series*



Code	Body	Height mm/Inch	Diameter mm/Inch	Weight gr	Mechanism Diameter mm/Inch	Use
520	Brass chrome-gloss plated	330/13	50/2	970	48/1.9	PEPPER
521	Brass chrome-gloss plated	270/10.6	50/2	780	48/1.9	PEPPER
522	Brass chrome-gloss plated	190/7,5	50/2	690	48/1.9	PEPPER
720	Brass nickel-matt plated	330/13	50/2	970	48/1.9	PEPPER
721	Brass nickel-matt plated	270/10.6	50/2	780	48/1.9	PEPPER
722	Brass nickel-matt plated	190/7,5	50/2	690	48/1.9	PEPPER



## *Chef Series*



Code	Body	Height mm/Inch	Diameter mm/Inch	Weight gr	Mechanism Diameter mm/Inch	Use
500	Polished brass	330/13	50/2	970	48/1.9	PEPPER
501	Polished brass	270/10.6	50/2	780	48/1.9	PEPPER
502	Polished brass	190/7,5	50/2	690	48/1.9	PEPPER





**[www.brasspeppermill.com](http://www.brasspeppermill.com)**

**Tel.:** +30 2310 663297

**Email:** [info@brasspeppermill.com](mailto:info@brasspeppermill.com)

**Address:** 2 Al. Papagou Str., 56430 Stavroupolis  
Thessaloniki-Greece

## *Traditional Series*



Code	Body	Height mm/Inch	Diameter mm/Inch	Weight gr	Mechanism Diameter mm/Inch	Use
001	Polished brass	165/6,5	30/1,2	260	28/1,1	PEPPER
002	Polished brass	200/7,9	35/1.4	380	33/1.3	PEPPER
003	Polished brass	230/9	40/1.6	550	38/1.5	PEPPER
004	Polished brass	265/10,5	45/1,8	670	43/1,7	COFFEE
005	Polished brass	285/11	50/2	850	48/1.9	COFFEE
042	Polished copper	200/7,9	35/1.4	390	33/1.3	PEPPER
043	Polished copper	230/9	40/1.6	570	38/1.5	PEPPER

## *Traditional Series*



Code	Description
B14	Polished brass / 100ml
C14	Polished copper / 100ml
B24	Polished brass / 200ml
C24	Polished copper / 200ml



## *Remarks:*

*Coffee grinders are designed for grinding excellent filter coffee.  
All grinders are designed for grinding dried grains (Coffee, pepper, etc., not soft like cinnamon or cloves).  
Mills with code #402, #403, #404, #405, #313, #412, #413, #414, #423, #503, #603, #606 are lacquer coated for protection against oxidation. All our products are handcrafted entirely in Greece. On our web page ([www.brasspeppermill.com](http://www.brasspeppermill.com)) you can find the entire range of spare parts for our products, instructions for use and maintenance.*





## Care



### **GLANOL Metal Polish Ultra Soft – gentle intensive cleaning on Alexander Handcrafted Mills!**

Bring your mill ultra softly on bright lustre! Glanol ® ultra cleans softly and polishes all shining metals – without damaging the surface. A special formula generates a waterproof protective film against dirt, rust and corrosion. Glanol ® ultra can be used by the high quality and nursing achievement also for the removing stubborn soiling (insects, to tar spots) from varnished metals.

Care, clean and polish ultra softly everything what is dear to you and expensive: from pepper, salt and coffee mills, silver or jewellery up to the beloved old-timer. Skin-acceptably and freely of poison!

#### **Details:**

- 100ml tube GLANOL metal polish ultra soft
- gentle reinigung and beaming shine
- well-chosen components
- waterproof protective films before corrosion
- careful care
- extremely fertilelely and long long-lasting
- cream-like consistency

#### **Particularly suitable for:**

- all shining metals like high-grade steel, chrome, silver, brass, copper, bronze, tin and aluminium
- jewellery, watches, music instruments (e.g. trombones, trumpets, saxophones)
- coins, board silver and antiques
- and a lot more

For any question, do not hesitate to contact us

**[www.brasspeppermill.com](http://www.brasspeppermill.com)**

**Tel.: +30 2310 663297**

**Email: [info@brasspeppermill.com](mailto:info@brasspeppermill.com)**

**Address: 2 Al. Papagou Str., 56430 Stavroupolis  
Thessaloniki-Greece**

